


Operating Surgical Tables





About Us

MEDIVION® is one of the prominent ISO 9001:2008 & MSME Regd. Company, specializing in the production of Operation Theater Tables, LED Operation Theater Lights, & Medical Furniture in India, which is continued to be the trendsetter throughout the years of history. From the last 8 years, we have created a proficient niche both in the domestic medical industry. We have the privilege to design and distribute the most sophisticated and technological latest products in the service of medical profession. Our Research and Development department is continuously involved in designing & developing better design and technical solution at the required standard by the customers. We are empowered with an efficient workforce of skilled and dedicated staff. Our manufacturing facilities are located in Kolkata & Haryana, equipped with the latest machinery and all the work is done in house. While continuously increasing the production process, we also continuously improve the product quality. We assure to satisfy you with our quality, workmanship and after

We assure to satisfy you with our quality, workmanship and after sales service as we always do to meet the requests of our valuable customers. We give our customers a tailor made cost for cost effectiveness by keeping close watch at every step in order to give a personalized service.

We can also manufacture the equipments according to your required specification as we are the original manufacturers, so please let us know if you need any change.

MEDIVION® team is looking forward to sincere cooperation with you. Lets advance and pursue a wonderful future by mutual efforts.









	4		MINI	TENT STWY OF		MALL & MEDIUM THOUGH SIGN TO	ENTERPRIE	14	1000	and age some	OTHER DESIGNATION OF THE PERSON OF THE PERSO
ć	Daywell and a		उद्योग	आधा		alibi-	Udyog	Aadha	ar		
					Type of Er	terprise		Micro	Small	Medi	um
			Α		Manufactu	ring		A	0	C	
			A		Services			0	l€	F	
					UAN			WB10A001	1760		
_				Uc	Ivog Aadl	naar Memoran	dum				
. A	adhaar Number				591222239	816					
P	AN Number				BGUPP860	18					
. N	ome of Entreprene	ur.			GOPAL PA	TRA					
	ocial Category of E	Intrepres	reur		GENERAL						
			Male								
6. Physically Handicapped No											
					SYSTEMS (NDIA	0					
	Type of Organization Proprietary										
	ocation of Plant De										
	N Flat/Door/Blo 265	ck No.	Name of Premises/Bui	iding Vill		ad/Street/ Lane	Area-Loca KOLKATA	Ry CRy KOLKATA	Pin	State WEST BENG	AL KOLKOTA
								ROLKATA	700053	WEST BENG	AL KOLKOTA
	ficial Address of 5	interprise				BAHADUR ROAD,					
0.					District	KOLKOTA	State	WEST BENG		PIN	700053
					Mobile No	9836098417	Emait	meditechsyst	terroindas	18gmail.com	
	ate of commonoen				14/05/2014						
	revious Registratio	n details	-if any								
3 B	ank Details				IFS Code			SBINO	211530		
3.					Benit Acco	rant.		332956	15275		
4. M	ator Activity				MANUFACT	TURING					
9	N NIC 2 Digit		NIC 4 Digit				NIC 5 Digi	Code			Activity Type
6. 1		3250 - I	Manufacture of medical an ents and supplies	d dectal	32503 - Mar operating ta	nufacture of medica bles, examination t	il, surgical, de ables, dentiste	tal or veterina chairs etc.	ry familiare	such as	Manufacturing
2	32 - Other manufacturing	3290 - 6	Other manufacturing n.e.c.		32909 - Mai	rufacture of other a	rticles n.e.c.				Manufacturing
	ersons employed				6						
	vestment (Plant &		ry / Equipment's)		10(Rs. In Li	aktra)					
	istrict Industry Cer	810			KOLKOTA						
hore	ration by declare that infi the concerned as	ormation shortly.	given above is true to the	best of m	ry knowledge	. Any information,	that may be re	quired to be ve	orified, shai	I be provided	immediately
			ion) is available now for di	worksard I	When Children	nonte combinoster	on Make Str. Street	mema mumem			

Electric Operating Table (Advance)

C-Arm Compatible








Side Control Panel (Optional)

Technical Data

Overall Length of the table	1950 mm
Overall Width of the table	530 mm.
Minimum height of the table	780 mm
Maximum height of the table	1080 mm
Trendlenburg/Reverse	40 degree
Flex/reflex	80degree/220degree
Side Tilt	22degree
Kidney Section	125mm manually
Leg plate	90 degree down
Back Plate Up/Down	80° / 25°
Leg Split	180°
Head Plate Up/Down	60° / 20°
Power Input	220V/50Hz

Standard Positions










Electric Operating Table (Advance)





Electro Manual Operating Table

Sliding Top(Optional)



Salient Features

100% life saving due to low voltage electricity supply Offline battery backup upto 1hr. 180 kg weight capacity Full table function, articulation capability Full body imaging without special accessories Durable one touch pendant control Casters locable with single action brake Fully stainless steel 304 grade accurity Electrical and mechanically operated height,

trendelbar / reverse, lateral tilt and sliding top.





Remote

-				9
			V	
(Atmos	0 0	1	(

Extra Control Panel

Technical Data

Overall Length of the table	19
Overall Width of the table	53
Minimum height of the table	78
Maximum height of the table	10
Trendlenburg/Reverse	40
Flex/reflex	80
Side Tilt	22
Kidney Section	12
Leg plate	90

ч	ta
	1950 mm
	530 mm.
	780 mm
	1080 mm
	40 degree
	80degree/220degree
	22degree
	125mm manually
	90 degree down

Five Section Mattress	1 Set
Anesthetist screen	1 Nos.
Padded Shoulder Support	2 Nos.
Padded Lateral Support	2 Nos.
Padded Lithotomic Crutches	2Nos.
Padded Arm Rest	2Nos.
Drive Handle	1 Nos.



(Optional)

Electric Operating TableC-Arm Compatible



Salient Features

Five Section table top allow ease and comfort for positions.
Radio-translucent top provides easy convenience for x-ray procedures.
Eccentric pillar to ensure maximum coverage of C-Arm machine.
Interchangeable Head & Leg Section.
Base & Column covered with 304 Grade Stainless Steel top to ensure high durability & hygiene for the Operation room.

Five Section Mattress	1 Set
Anesthetist screen	1 Nos.
Padded Shoulder Support	2 Nos.
Padded Lateral Support	2 Nos.
Padded Lithotomic Crutches	2Nos.
Padded Arm Rest	2Nos.
Drive Handle	1 Nos.



Side Control Panel (Optional)

Electric Operating Table

Salient Features

Electric Operation tables are designed keeping in view the needs of modern surgery procedures these tables are versatile & heavy duty enough to cater to all kind of modern surgeries.









Mechanical Movement





Technical Data

Overall Length of the table
Overall Width of the table
Minimum height of the table
Maximum height of the table
Trendlenburg/Reverse

Flex/reflex

Side Tilt

Kidney Section

Leg plate

1950 mm

530 mm.

780 mm

1080 mm 40 degree

80degree/220degree

22degree

125mm manually

90 degree down

Electrical Movement







Trendelenburg



Anti-Trendelenburg



Flex



Re-Flex



Lateral Tilt Left



Lateral Tilt Right

Hydraulic Operating Table C-Arm Compatible



MEDIVION Hydraulic Operting tables are designed keeping in mind the needs of modern surgical procedures. These tables are versatile and heavy duty enough to cater all kind of modern surgeries. The table is adjusted with heavy duty concealed pump covered in stainless for long span of hydraulic.

Salient Features

Five Section table top allow ease and comfort for positions.

Radio-translucent top provides easy convenience for x-ray procedures.

Eccentric pillar to ensure maximum coverage of C-Arm machine.

Interchangeable Head & leg Section.

Base & column covered with 304 Grade Stainless Steel top to ensure high durability & hygiene for the Operation room Durable heavy duty leak proof concelled pump.

Heavy duty smooth gear mechanism to avail all operating position.

55mm thick water proof mattress.

Hydraulic Operating Table Standard Accessories

Technical Data

Overall Length of the table	1950mm	
Overall Width of the table	530mm.	
Minimum height of the table	780mm	
Maximum height of the table	1030mm	
Trendlenburg/Reverse	30 degree	
Flex/reflex	80degree/220degree	
Side Tilt	22degree	
Kidney Section	125mm manually	
Leg plate	90 degree down	
Hi-Low Lift	Hydraulic	

Standard Accessories

Five Section Mattress	1 Set
Anesthetist screen	1 Nos.
Padded Shoulder Support	2 Nos.
Padded Lateral Support	2 Nos.
Padded Lithotomic Crutches	2Nos.
Padded Arm Rest	2Nos.
Drive Handle	1 Nos.

Optional Accessories

Universal Orthopedic Attachment

S.S. Instrument Tray With Hanger

S.S Urology Tray

Neuro Surgery Attachment

Arm Surgery Attachment

MSI-4002SE

Semi Electric Operating Table

C-Arm Compatible

Standard Accessories

- 1. Five Sections Mattress: 1 set.
- 2. Anesthetist Screen: 1 pcs.
- 3. Padded Shoulder Support : 2 pcs.
- 4. Padded Lateral Support: 2 pcs.
- 5. Padded Lithotomy Crutches: 2 pcs.
- 6. Padded Arm Rest: 2 pcs.



Hydraulic Operating Table



Salient Features

Hydraulic & Mechanically Operated
Stainless Fitting
Detachable, head, leg & Pelvic section
In built kidney bridge
Five Sectional Stainless Steel Top
Base & Cover made of attractive, east

Base & Cover made of attractive, east to clean Stainless Steel.

Smooth Patient Positioning

Technical Data

Overall Length of the table	1950mm
Overall Width of the table	530mm.
Minimum height of the table	780mm
Maximum height of the table	1030mm
Trendlenburg/Reverse	30 degree
Flex/reflex	80degree/220degree
Side Tilt	22degree
Kidney Section	125mm manually
Leg plate	90 degree down
Hi-Low Lift	Hydraulic

Standard Accessories

Five Section Mattress	1 Set
Anesthetist screen	1 Nos.
Padded Shoulder Support	2 Nos.
Padded Lateral Support	2 Nos.
Padded Lithotomic Crutches	2Nos.
Padded Arm Rest	2Nos.
Drive Handle	1 Nos.

www.medivion.co.in

Orthopedic Attachments



Ortho Attachment allows the table to be used for the lower extremity procedures. Available at competitive prices our ortho attachment is purely made of stainless steel which resist corrosion.

Salient Feature

The Orthopedic Attachment can be used with any operating table.

In addition, a pelvic support plate is supported on top of the frame and is formed with an asymmetrical construction.

Stirring Instruments allows flexion/raising of legs & stirring/string ball joints locked from foot end. Two traction devices on sliding spot with ball joint allowing flexions & rotations of foot with traction shoe with metallic sole.

Padded orthopedic knee crutches/provides support to the legs of the patient

Standard Accessories

Orthopedic Section	1 Nos.
Pelvic rest in 2 sizes	1 Nos. each
Pelvic support (Radio Translucent)	1 Nos.
Inner thigh support (Radio Translucent)	1 Nos.
Foot plat with Ortho Shoes	1 pair
Tibia Attachment	1 Nos.
Head Surgery table (Radio Translucent)	1 Nos.
Steinman pin Holding Clamp	1 Nos.
Head Rest for shoulder Surgery	1 Nos.
Leg Holder (Goepel Type)	1 pair

Optional Accessories







Hand Surgery



Three Pin Head Mayfield Neuro Attachment Sujita Head Fixator for Sitting/

www.medivion.co.in

Opthalmic Electric O.T. Table



This Ophthalmic Table is specially designed for Ophthalmic surgery. Three sectional table is provided with drainage system in the head section. The table has sturdy base, column made up of stainless steel, antibacterial and is easy to clean. Electromotive height and trendelenburg positions with the help of lightweight handheld control unit.

Technical Data

Length of the Table	1900mm
Width of the Table Top	520mm
Minimum Height Without Mattress	Min 750mm
Maximum Height Without Mattress	Max 1000mm
Trendelenburg	25°
Reverse Trendelenburg	25°
Leg Section	0° - 90°

Salient Features

This Ophthalmic Table is specially designed for Ophthalmic surgery. Three sectional table is provided with drainage system in the head section. The table has sturdy base, column made up of stainless steel, antibacterial and is easy to clean. Electromotive height and trendelenburg positions with the help of lightweight handheld control unit. Encentric Pillars Stainless Fitting Detachable, head & leg section Three Sectional Radio-Translucent Top Base & Cover made of attractive, easy to clean Stainless Steel Sophisticated mechanics provide smooth, step less articulation of the table top for precise patient positioning

Gynecological/Obstetrics O.T. Table Electric



Awesome Design

Durable, lightweight and easy to use hand control with ergonomic shape featuring easy-to read hand control pictograms.

Fully Laminated Mattress

MOULDED WATERPROOF SEALED BELLOW protects against infiltration of body fluids.

Easy To Use

Minimum Height upto 60 cm provides easy access for lady surgeon.

High Quality Mattress

A high quality 3 inches mattress enhances the adaptive capacity of the mattress.

Salient Features

Functional and versatile Flexibility and precision Hygienic design Easy cleaning User - friendly


Technical Data

Length of the Table	1600mm
Width of the Table Top	550mm
Minimum Height Without Mattress	Min 750mm
Maximum Height Without Mattress	Max 1000mm
Lateral Tilt	±20°
Back Section	±80°
Leg Section	0° - 90°
Floor Locking System	Manual

www.medivion.co.in


Gynecological/Obstetrics O.T. Table

Gynecological Attachments





Easy Insertion of Drainage Basin




Easily Fixable Mattress




Hand Grip Can Be Adjusted



Improved Universal Clamp



Proud Jo Make In India....





Surgical LED O.T. Lights- Single Dome, Double Dome, Mobile. Examination LED O.T. Lights.



Manufactured By:

Meditech Systems(India)

Regd. WorkShop & Office: 265, Roy Bahadur Road,

Kolkata - 700 053, WestBengal, India Mobile: 9836096417/9830436926 Office: 033 2403 0094

email: <u>meditechsystemsindia01@gmail.com</u> <u>info.meditech01@gmail.com</u>

www.indiamart.com/meditechsystemsindia

www.medivion.co.in

Authorised Distributor/Dealer